## **TS** Series **TRUCK SCALE**



### FEATURES

- Portable and concrete options are available
- Engineered and optimized with direct involvement from scale dealers across Canada

welds for maximum strength

- Designed for portability and easy installation
- Manhole option available
- Self-centering shear beam design to minimize failures and maintain accuracy

### PLATFORM

#### Bolt on guard rails

# ANYLOAD®

ANYLOAD is an integrated manufacturer specializing in the development and production of load cells, scales, and weighing components, headquartered in Burnaby, BC, Canada.

Established in 1991, we have expanded our international reach to include offices and warehouses in Canada, the US, and China.

Our mission is to provide innovative weighing solutions that deliver uncompromising performance with dependable service.



ANYLOAD

#### www.anyload.com

### **PRODUCT INCLUDES**



#### 8- AND 4- CHANNEL FIBREGLASS JUNCTION BOX\*

- Impact & corrosion resistant fibreglass case
- GORE Breather & rubber gasket to minimize condensation
- Individual and section trimming, removable terminals



#### **102BH AND M1 COMPRESSION WEIGH MODULE\***

- 102BH double ended shear beam load cells
- 102BHM1 self-checking mounting modules
- Double-ended beam design naturally eliminates possibility of rotation and lateral displacement

As a load cell designer and manufacturer, we understand how even the smallest variations in load cell and weighing accessories can significantly impact a scale's reliability and lifespan. Our commitment is to provide you with durable, long-lasting weighing solutions that exceed expectations.

### **PRODUCTION TIME & SHIPPING**

- 75 day production lead time + ocean freight
- Ships ready-to-assemble from Vancouver & Halifax
- From order to delivery: ~16-18 weeks.

#### **ADDITIONAL OPTIONS**

- Stainless steel IP68 load cell upgrade
- Braided steel cable or conduit for rodent & pinching protection
- Guard rail customization
- Remote display, with traffic light and wireless upgrade options

#### **REMOTE DISPLAY**

- Universal compatibility (RS232/485)
- Rust-resistant, weatherproof chassis
- Traffic light option available
- Wireless upgrade available



808AH

808BH

#### **OUR DEALERS ALSO OFFER:**

- Computerized scale house setup
- Bar code systems
- Printers
- Digital weight indicators, etc.

\*Actual product may differ slightly from pictures



www.anyload.com

### **STANDARD DIMENSIONS**

Available in both concrete and portable versions, additional customizations can be requested

| Full<br>Scale<br>Capacities<br>(t) | Length<br>(ft) | Total<br>Length<br>(mm) | A<br>Length<br>(mm) | B<br>Length<br>(mm) | A<br>Length<br>(mm) | B<br>Length<br>(mm) | A<br>Length<br>(mm) | C<br>Length<br>(mm) | A<br>Length<br>(mm) | C<br>Length<br>(mm) | A<br>Length<br>(mm) | B<br>Length<br>(mm) | A<br>Length<br>(mm) | Sections | Load<br>cells |
|------------------------------------|----------------|-------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|----------|---------------|
| 60                                 | 40             | 12350                   | 520                 | 5400                | 520                 | 5400                | 520                 |                     |                     |                     |                     |                     |                     | 2        | 6             |
| 80                                 | 60             | 18270                   | 520                 | 5400                | 520                 | 5400                | 520                 | 5400                | 520                 |                     |                     |                     |                     | 3        | 8             |
| 80                                 | 70             | 21270                   | 520                 | 6400                | 520                 | 6400                | 520                 | 6400                | 520                 |                     |                     |                     |                     | 3        | 8             |
| 100                                | 80             | 24190                   | 520                 | 5400                | 520                 | 5400                | 520                 | 5400                | 520                 | 5400                | 520                 |                     |                     | 4        | 10            |
| 100                                | 90             | 27390                   | 520                 | 6200                | 520                 | 6200                | 520                 | 6200                | 520                 | 6200                | 520                 |                     |                     | 4        | 10            |
| 100                                | 100            | 30610                   | 520                 | 5500                | 520                 | 5500                | 520                 | 5500                | 520                 | 5500                | 520                 | 5500                | 520                 | 5        | 12            |

### **STANDARD PLATFORM LAYOUT**





ANYLOAD

www.anyload.com

### TRUCK SCALE BREAK DOWN

#### DISASSEMBLED VIEW

